

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11)

EP 0 865 189 A2

(12)

## EUROPEAN PATENT APPLICATION

(43) Date of publication:  
16.09.1998 Bulletin 1998/38

(51) Int Cl.<sup>6</sup>: H04M 3/50

(21) Application number: 98301825.0

(22) Date of filing: 12.03.1998

(84) Designated Contracting States:  
AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC  
NL PT SE  
Designated Extension States:  
AL LT LV MK RO SI

(72) Inventors:  
• Pizano, Arturo Andrea  
Belle Mead, NJ 08502 (US)  
• Li, Frank K.  
Snoqualmie, WA 98065 (US)

(30) Priority: 12.03.1997 US 815785


(74) Representative: Litchfield, Laura Marie et al  
Haseltine Lake & Co.  
Imperial House  
15-19 Kingsway  
London WC2B 6UD (GB)

(71) Applicant: SIEMENS CORPORATE RESEARCH,  
INC.  
Princeton, New Jersey 08540 (US)

## (54) Remote phone-based access to a universal multimedia mailbox

(57) A system that provides users with the capability to access messages contained in a remote universal multimedia mailbox interfaces with an underlying universal messaging server which provides a repository for voice, fax, e-mail, etc.... This interface is accomplished through a standard e-mail protocol used to add voice reply messages from a message generator to the universal mailbox through the universal messaging server

as well as through a message management library contained within a mailbox access manager that provides access to message components contained in the universal mailbox. The operation of the present invention is guided by a telephony attendant which interfaces with a telephone. The telephony attendant also controls a media converter which converts media to fax or media to audio and an audio/fax player which interfaces with the telephone or a fax machine.



## Description

This patent application is related to US patent application serial number 08/815,786, entitled "System For Digital Video Browsing Using Telephone And Fax" assigned to the same assignee as the present invention.

5 The present invention relates to accessing messages contained in remote universal multimedia mailboxes and more particularly to extending access to environments where computer systems are not available.

Electronic messaging services including electronic mail, voice mail and digital fax are common in today's business and home environments. In addition a trend towards *universal or unified messaging* is currently underway. The present invention develops a system that operates under the assumption that an extensible *Universal Messaging System* with  
10 basic message storage-and-forward capabilities is in place. Such systems are now commercially available as described in "Unified Messaging" Computer Telephony Magazine, August 1996.

The prior art also includes voice mail systems such as the one described in U.S. Patent Number 5,568,540 entitled "Method and Apparatus for Selecting and Playing a Voice Mail Message". This patent discloses a system which provides telephone-based remote message access. These systems however, are limited to voice and, in some instances, fax.  
15 The present invention seeks to provide a system that addresses much more elaborate messages containing arbitrarily complex multimedia objects.

Some of the systems described in "Unified Messaging" also provide support for remote access of e-mail messages. However, this support is based on text-to-speech conversion only and is limited to the text portion of the message body. The present invention seeks to extend this functionality to every message class in the system, and to enhance  
20 it by incorporating the use of fax as a way to provide visual feedback on the content of the message. For example, an image or a video could be provided.

The present invention also seeks to provide a system capable of handling two special message classes: Dynamic image annotation which involves computer-generated messages in which synchronized voice, mouse movements and graphics are used to describe conditions associated with the contents of an underlying image; and browsable video  
25 messages which consists of video clips which have been pre-processed to identify scene changes and prepared for browsing. Such message types are not available in existing prior art systems.

The invention provides a system and a method for remote access to a universal multimedia mailbox, as set out in claims 1 and 11.

The present invention provides users with the capability to access messages contained in a remote universal  
30 multimedia mailbox. The system of the present invention interfaces with an underlying universal messaging server which provides a repository for voice, fax, e-mail, etc., by means of a message management library contained within a mailbox access manager of the present invention that provides access to message components contained in the universal mailbox. The operation of the present invention is guided by a telephony attendant of the present invention which interfaces with a telephone. The telephony attendant also controls a media converter which converts media to  
35 fax or media to audio and an audio/fax player which interfaces with the telephone or a fax machine. The telephony attendant also communicates with the mailbox access manager to retrieve the number of messages in the mailbox. Overall, the present invention acts as a remote phone/fax messaging client (RPFMC). Advantageously, a standard e-mail protocol is also used to add voice reply messages from a message generator of the present invention to a universal mailbox through a universal messaging server.

40 For a better understanding of the present invention, and to show how it may be brought into effect, reference will now be made, by way of example, to the accompanying drawings, in which:

Figure 1 illustrates a block diagram of the present invention and its interface to a universal mailbox, a universal messaging server, message sources and a telephone network.

45 Figure 2 illustrates a flow diagram of one embodiment of the telephony attendant of the present invention showing the global flow of a call.

Figure 3 illustrates a flow diagram of one embodiment of the mailbox access manager of the present invention where the mailbox status prompt is generated and played to the caller.

Figure 4 illustrates a flow diagram of the operation of the present invention when checking whether a fax message has been prepared, when prompting the user for the necessary information, and when sending the fax to the destination  
50 fax machine.

Figure 5 illustrates a flow diagram of the telephony attendant of Figure 2 communicating with the mailbox access manager of Figure 3 to generate the mailbox status fax.

Figure 6 illustrates a typical mailbox status fax.

55 Figure 7 illustrates a flow diagram of the loop that controls the operation of providing a more detailed view of the messages contained in the mailbox.

Figure 8 illustrates a flow diagram of the steps used to review the contents of a fax.

Figure 9 illustrates a flow diagram of the steps used to review the contents of a voice message.

Figure 10 illustrates an example of the results produced by the media converter of the present invention in response

to a request for phone/fax access to an annotation.

Figure 11 illustrates a flow diagram of the operation of the telephony attendant of the present invention during an annotation review process.

Figure 12 illustrates an example of a video fax of the present invention.

Figure 13 illustrates a flow diagram of the operation of the telephony attendant of the present invention during a video review process.

Figure 14 illustrates a flow diagram of the operation of the telephony attendant of the present invention during an E-Mail review process.

Figure 15 illustrates an example of a telefax transmittal of the present invention describing the contents of an e-mail message.

Figure 16 illustrates a flow diagram of the operation of reviewing individual attachments.

An exemplary embodiment of the invention will now be described, with reference to the accompanying drawings.

The present invention is a system that provides the capability for people to access messages contained in a remote universal multimedia mailbox. Typically, the universal mailbox contains a combination of the following message classes:

- *voice mail*: voice only messages typically generated via a phone
- *fax*: document images generated with a fax machine or a fax program
- *multimedia e-mail*: collection of multimedia objects (text, voice, images,...) structured according to an accepted standard, e.g., MIME
- *dynamically annotated images*: computer generated messages containing synchronized voice, graphics and mouse gestures used to describe conditions associated with an underlying image.
- *video*: video messages generated in a video phone or a workstation

Under normal circumstances this universal mailbox is accessed via tools that run on a fully functional computer system such as a personal computer or workstation. The present invention extends access to these message classes in environments where computer systems are not available, but telephones and fax machines are.

The operation of the present invention in a basic scenario is as follows. A user will call a predefined telephone number at the site where the mailbox is stored. The call is answered and processed at this site by an automated telephony attendant. This attendant gives users verbal instructions on how to access the messages and receives user commands in the form of touch tones generated with the keypad of a telephone. The system responds to user requests by playing audio versions of messages or message components over the phone, and visual representations by means of a fax machine which is presumed to be close to the place where the telephone call originates. A series of unique media conversion mechanisms is used together with off-the-shelf tools to support the desired functionality.

A particular feature of the present invention is the systems ability to handle two special message classes: Dynamic image annotation which involves computer-generated messages in which synchronized voice, mouse movements and graphics are used to describe conditions associated with the contents of an underlying image; and browsable video messages which consists of video clips which have been pre-processed to identify scene changes and prepared for browsing. Such message types are not available in existing prior art systems but are incorporated into the underlying Universal Messaging Server using the techniques described in U.S. Patent Application Serial Number 08/560,566, filed November 20, 1995, entitled "A Multimedia-based Reporting System With Recording And Playback Of Dynamic Annotation" and assigned to the same assignee as the present invention as well as U.S. Patent Number 5,521,841 entitled "Browsing Contents Of A Given Video Sequence", issued May 28, 1996 and assigned to the same assignee as the present invention.

Figure 1 illustrates the main components of the present invention as well as the flow of data and messages. The present invention assumes that an underlying Universal Messaging Server, e.g., Microsoft's Exchange Server, will provide a single repository for voice mail 11, fax 12, and e-mail 13 which are provided from message sources 15. Other than receiving messages from message sources 15, universal messaging server 21 also delivers messages out to their destinations. In addition, the system is presumed to be extensible through server extensions 16 in order to support the incorporation of the dynamic annotated images 17 and video classes 18.

Server extensions 16 allow new message classes to be represented customarily. Server extensions 16 also facilitates the pre-processing of those messages. For example, a video message could be passed to a scene change detector which generates the scene change icons and scene change list. The dynamic annotation inside an annotated image message could be segmented with reference to time and spatial information such that a user could jump into a particular segment of annotation during playback of the message.

As shown in Figure 1, there are two interfaces between the present invention 10 and the universal messaging server 21: (1) the standard e-mail protocol used to add voice reply messages 22 from message generator 23 to universal mailbox 24 through universal messaging server 21; and (2) a message management library contained within mailbox access manager 25 that provides access to message components 26 contained in the universal mailbox 24. These

are typical interfaces of existing messaging servers. Overall the present invention acts as a remote phone/fax messaging client (RPFMC).

The operation of the RPFMC 10 is guided by a telephony attendant 27 that performs the following functions:

- 5 • Receives the call 28 from a telephone 29, greets the caller, and prompts 30 the customer for identification.
- Guides a session during which the customer reviews the contents of the mailbox.
- Issues queries 40 to the mailbox access manager 25 to retrieve message components 26 from mailbox 24, and interacts with media converter 32, which receives media message components 33 from mailbox access manager 25 and performs the transformations needed to present the data via phone 29 or fax 34.
- 10 • Delivers audio and fax data 36 to audio/fax player 38 which delivers the information as audio data 35 through phone 29 or as fax data 37 through fax 34.
- Records voice replies to e-mail messages 41 and handles them through message generator 23.

More specifically, telephony attendant 27 performs the following tasks as illustrated in Figure 2.

- 15 • Answer the call, play a greeting prompt 30, and wait for the user to enter a password.
- If the password is not correct, inform the user by playing an "Unauthorized User" prompt and end the call playing a "Dismissal" prompt.
- If the password is correct, report the status of the mailbox (Figure 3) and provide a menu of alternatives as described in the mailbox-review prompt.
- 20 • Wait for the selection and perform the function selected.

Playing the status prompt involves interaction through message query 40 between telephony attendant 27 and mailbox access manager 25, which in this situation examines the contents of mailbox 24 and returns a count of the messages found. This count is used to create a dynamic prompt 30 which is played to the user through the phone 29. This is further illustrated in the flow diagram of Figure 3.

The user can reply to the originator of e-mail, through reply data 41, with the message generator 23. Message generator 23 records voice from the user, composes it as an E-mail message and submits it to universal messaging server 21 which delivers it as a voice message to the originator.

30 The telephony attendant follows the playback of the status prompt, with the playback of a prompt that offers three options to the caller:

- retrieve a high-level description of the mailbox (mailbox status fax) via fax;
- proceed to review each message in detail; or,
- 35 • exit the system.

In the last case the system of the present invention first checks to see if a fax message has been prepared and prompts the user for the necessary information.

Figure 4 illustrates a flow diagram of the operation of the system in this case.

- 40 • During the generation of the mailbox status fax, the telephony attendant communicates with the mailbox access manager to retrieve the number of messages in the mailbox. A flow diagram of this operation is illustrated in Figure 5. The telephony attendant then proceeds to systematically add information about each individual message to an internal fax document. This information includes:

- 45 • the message type,
- the sender,
- the subject,
- the date, and
- the number of attachments (e-mail only).
- 50

Figure 6 illustrates a typical mailbox status fax. A document like this can be created by using a programmable word processing tool such as Microsoft Word 6.0.

- 55 • The next option available in the mailbox review prompt is a more detailed view of the messages contained in the mailbox. This option is made available to the user by means of a dynamically generated prompt that systematically plays back audible high-level message components (message type, sender, subject, etc. ...). Figure 7 illustrates a flow diagram of the loop that controls this operation. Notice the interaction with the mailbox access manager to extract message information from the mailbox. In particular, the message type which determines the way in which the message is reviewed.

Figure 8 illustrates a flow diagram for reviewing the contents of a fax and Figure 9 illustrates a flow diagram for reviewing the contents of a voice message.

The services of media converter, 32 of Figure 1, are used to review the contents of dynamic image annotations and video messages both of which have aural and visual representations. For dynamic annotations, U.S. Patent Application Serial Number 08/560,566 filed November 20, 1995, entitled "A Multimedia-based Reporting System With Recording And Playback Of Dynamic Annotation", assigned to the same assignee as the present invention, teaches the use of three separate components in the storage organization of the multimedia object: an audio file with the voice comments, an image file with the bitmap(s), and a text file with gestures and graphics. Similarly, U.S. Patent Number 5,521,841 entitled "Browsing Contents Of A Given Video Sequence", assigned to the same assignee as the present invention, teaches an organization of the video file that includes the video itself plus auxiliary data in the form of a scene change list and a collection of frame icons that show the contents of the video during scene changes.

Figure 10 shows a sample of the results produced by the media converter when applied to a dynamically annotated image. The aural component is copied directly out of the stored representation into an intermediate voice file that can be played over the phone. The algorithms described in U.S. Patent Application Serial-Number 08/560,566 filed November 20, 1995 are utilized to playback the dynamic annotation and are then used to produce the visual representation that contains the base images as well as the drawings as they would appear at the end of the annotation playback. Figure 11 shows a flow diagram of the operation of the telephony attendant during the annotation review process.

The algorithms used in the media converter to decompose a video message are described in U.S. Patent Number 5,521,841. Figure 12 shows a sample video fax. The audio track of the video is accessed in a telephone call during which users can control the playback of the audio track using the keypad. In addition to having pause/resume capabilities, the user is also able to jump to specific video shots by entering the numeric id associated to each shot in the sequence. Figure 13 shows a flow diagram of the operation of the telephony attendant during the video review process.

The last component of the telephony attendant is the e-mail reviewing process. The system of the present invention performs the task in two steps: first giving the caller information about the main message, then allowing for the review of message attachments. Figure 14 illustrates the flow diagram of the steps in this interaction. Once again the user is given the option to receive an audible version of the message over the phone, or to receive a visual copy through the fax. For the audible version a commercial text-to-speech engine included in the media converter translates the message body. For the faxed version a telefax transmittal similar to the sample shown in Figure 15 is generated, also by the media converter using an off-the-shell word processing system (e.g., MS Word 6.0). Figure 16 illustrates a flow diagram of the process used to review individual attachments.

The following list contains examples of textual representations of system prompts. These prompts could be recorded as voice during the implementation of the system.

Prompt	Content
[1] <u>Greeting</u>	"Hello, you have reached the universal mailbox of <USER NAME>. Please enter your password."
[2] <u>Unauthorized User</u>	"The password was incorrect"
[3] <u>Dismissal</u>	"Good bye!"
[4] <u>Mailbox Review</u>	"To receive a summary of the mailbox via fax press 1. To review the messages in detail press 2. To exit press 3."
[5] <u>Review Fax</u>	"To get a copy of this fax press 1. To save the message press 2."
[6] <u>Fax Saved</u>	"Fax saved."
[7] <u>Get Fax Number</u>	"Please enter your fax number."
[8] <u>Fax Sent</u>	"Fax sent."
[9] <u>Review Voice</u>	"To review this voice mail press 1. To save the message press 2."
[10] <u>Voice Saved</u>	"Voice saved."
[11] <u>Review Annotation</u>	"To review this annotation using the phone press 1. To receive a fax version of the visual components press 2. To save the message press 3."
[12] <u>Annotation Saved</u>	"Annotation saved."
[13] <u>Review Annotation</u>	"To review this video message using the phone press 1. To receive a fax version of the visual components press 2. To save the message press 3."
[14] <u>Annotation Saved</u>	"Video message saved."
[15] <u>Review E-mail</u>	"To review this e-mail message using the phone press 1. To receive a fax version of the visual components press 2. To review individual attachments press 3. To save the message press 4."

(continued)

Prompt	Content
[16] E-mail Saved	"E-mail saved."

It is not intended that this invention be limited by the hardware or software arrangement, or operational procedures shown disclosed. This invention includes all of the alterations and variations thereto as encompassed within the scope of the claims as follows.

## Claims

1. A system (10) for remote phone-based access to a universal multimedia mailbox (24) comprising:
  - mailbox access manager means (25) for interfacing with said universal multimedia mailbox;
  - telephony attendant means (27) connected to said mailbox access manager means for interfacing to a telephone network; and
  - media converter means (32) connected to said mailbox access manager means.
2. A system (10) for remote phone-based access to a universal multimedia mailbox (24) as claimed in claim 1 further comprising server means (16) for allowing message classes to be represented customarily and for facilitating preprocessing of said message classes.
3. A system (10) for remote phone-based access to a universal multimedia mailbox (24) as claimed in claim 2 wherein said server means (16) supports dynamic annotated images and video message classes.
4. A system (10) for remote phone-based access to a universal multimedia mailbox (24) as claimed in one of claims 1-3, further comprising an audio/fax player (35, 37) connected between said media converter means (32) and said telephone network.
5. A system (10) for remote phone-based access to a universal multimedia mailbox (24) as claimed in any preceding claim further comprising message generator means (23) for interfacing with said universal multimedia mailbox (24) through a universal messaging server (21).
6. A system (10) for remote phone-based access to a universal multimedia mailbox (24) as claimed in any preceding claim wherein said mailbox access manager means (25) comprises a message management library that provides access to message components contained in said universal multimedia mailbox (24).
7. A system (10) for remote phone-based access to a universal multimedia mailbox (24) as claimed in any preceding claim wherein said telephony attendant means (27) guides operation of said system (10) for remote phone-based access to said universal multimedia mailbox (24).
8. A system (10) for remote phone-based access to a universal multimedia mailbox (24) as claimed in any preceding claim wherein said telephony attendant means (27) interacts with said mailbox access manager means (25) which retrieves message components from said universal multimedia mailbox (24) and interacts through said mailbox access manager means (25) with said media converter means (32) which receives media message components from said mailbox access manager means (25) and performs transformations needed to present data to and from said telephone network.
9. A system (10) for remote phone-based access to a universal multimedia mailbox (24) as claimed in any preceding claim wherein said mailbox access manager means (25) examines contents of said universal multimedia mailbox (24) and returns a count of messages found.
10. A system (10) for remote phone-based access to a universal multimedia mailbox (24) as claimed in any preceding claim wherein said media converter means (32) reviews contents of dynamic image annotations and video messages.

11. A method of providing for remote phone-based access to a universal multimedia mailbox comprising the steps of:

utilizing a mailbox access manager to interface with said universal multimedia mailbox;  
utilizing a telephony attendant; and  
utilizing a media converter.

12. A method of providing for remote phone-based access to a universal multimedia mailbox as claimed in claim 11, further comprising the steps of:

utilizing server extensions for allowing new message classes to be represented customarily and for facilitating preprocessing of said new message classes; and  
utilizing an audio/fax player for interfacing to a telephone network.

13. A method of providing for remote phone-based access to a universal multimedia mailbox as claimed in one of claims 11 or 12 wherein utilizing a telephony attendant comprises the steps of:

providing the capability for users to receive instructions on how to access messages; and  
providing the capability for receiving commands from said users.

14. A method of providing for remote phone-based access to a universal multimedia mailbox as claimed in one of claims 11-13 further comprising the step of interfacing a message generator to the universal multimedia mailbox through a universal messaging server.

15. A method of providing for remote phone-based access to a universal multimedia mailbox as claimed in one of claims 11-14 wherein utilizing a mailbox access manager comprises the step of utilizing a message management library that provides access to message components contained in said universal multimedia mailbox.

16. A method of providing for remote phone-based access to a universal multimedia mailbox as claimed in one of claims 11-15 wherein utilizing a telephony attendant comprises the steps of:

interacting with said mailbox access manager which retrieves message components from said universal multimedia mailbox; and  
interacting through said mailbox access manager means with said media converter which receives media message components from said mailbox access manager and performs transformations needed to present data to and from said telephone network.

17. A method of providing for remote phone-based access to a universal multimedia mailbox as claimed in one of claims 11-16 wherein utilizing said mailbox access manager comprises the steps of:

examining contents of said universal multimedia mailbox; and  
returning a count of messages found.

FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

**SIEMENS**

SIEMENS CORPORATE RESEARCH, INC.

755 COLLEGE ROAD EAST • PRINCETON, NEW JERSEY 08540 • (609) 734-6500 • TELEFAX: (609) 734-6565

## TELEFAX TRANSMITTAL

DATE: WED AUG 21 12:37:47 EDT 1996  
 FAX NUMBER: (999) 555 1212  
 TO: JOHN DOE  
 FROM: SMMS  
 SUBJECT: INBOX STATUS









SENDER	SUBJECT	ATT	DATE	
 arture@robin.	SAMPLE MULTIMEDIA MESSAGE	4	WED APR 3 11:47:19	1
 A. PIZANO @ 3	---	0	WED MAR 6 11:01:30	2
 UNKNOWN SOURCE	---	0	WED MAR 6 11:11:00	3
 J. SMITH @ 55	---	0	WED MAR 6 13:09:54	4
 arture@robin.	SAMPLE ANNOTATED MESSAGE	1	MON APR 15 13:23:00	5
 arture@robin.	SAMPLE FAX WITH MARKERS	1	MON APR 15 13:44:53	6
 arture@robin.	ACTIVE MESSAGE ATTACHMENTS	3	SAT APR 13 06:12:34	7
 arture@robin.	ACTIVE MESSAGE ATTACHMENTS	1	MON JUL 8 09:51:07	8

FIG. 7




FIG. 8




FIG. 9






FIG. 10

# SIEMENS

SIEMENS CORPORATE RESEARCH, INC.

755 COLLEGE ROAD EAST • PRINCETON, NEW JERSEY 08540 • (609) 734-6500 • TELEFAX: (609) 734-6565

## TELEFAX TRANSMITTAL

DATE	WED AUG 21 12:37:47 EDT 1996
FAX NUMBER	(999) 555 1212
TO	JOHN DOE
FROM	SMMS
SUBJECT	INBOX STATUS




FIG. 11




FIG. 12

# SIEMENS

SIEMENS CORPORATE RESEARCH, INC.

755 COLLEGE ROAD EAST • PRINCETON, NEW JERSEY 08540 • (609) 734-6500 • TELEFAX: (609) 734-6565

DATE: MARCH 10, 1996  
 FAX NUMBER: (999) 555 1212  
 TO: JOHN DOE  
 FROM: JOE SMITH  
 NUMBER OF PAGES: 1




FIG. 13




FIG. 14




FIG. 15

# SIEMENS

SIEMENS CORPORATE RESEARCH, INC.

755 COLLEGE ROAD EAST • PRINCETON, NEW JERSEY 08540 • (609) 734-6500 • TELEFAX: (609) 734-6565


## TELEFAX TRANSMITTAL

DATE: THU JAN 6 19:06:25 EDT 1996  
 FAX NUMBER: (999) 555 1212  
 TO: JOHN DOE  
 FROM: SMMS  
 SUBJECT: MESSAGE 1


SUBJECT: SAMPLE MULTIMEDIA MESSAGE  
 DATE: WED APR 3 11:47:19 EST 1996  
 FROM: arture@robin.ser.siemens.com  
 CO: buchta@ser.siemens.com

THIS IS A SIMPLE TEST MESSAGE THAT ILLUSTRATES THE TYPES OF ATTACHMENTS THAT CAN BE INCLUDED IN A E-MAIL.

HAVE FUN....



(1) medical\_1.ppm




(2) alterldalice.mjpeg



AUDIO


(3) sanford.--



OTHER


(4) fritz.gif

FIG. 16



**THIS PAGE BLANK (USPTO)**





Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) EP 0 865 189 A3

(12)

## EUROPEAN PATENT APPLICATION

(88) Date of publication A3:  
05.03.2003 Bulletin 2003/10

(51) Int Cl.7: H04M 3/50, H04M 3/533

(43) Date of publication A2:  
16.09.1998 Bulletin 1998/38

(21) Application number: 98301825.0

(22) Date of filing: 12.03.1998

(84) Designated Contracting States:  
AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC  
NL PT SE  
Designated Extension States:  
AL LT LV MK RO SI

(72) Inventors:  
• Pizano, Arturo Andrea  
Belle Mead, NJ 08502 (US)  
• Li, Frank K.  
Snoqualmie, WA 98065 (US)

(30) Priority: 12.03.1997 US 815785


(71) Applicant: SIEMENS CORPORATE RESEARCH,  
INC.  
Princeton, New Jersey 08540 (US)

(74) Representative: Litchfield, Laura Marie et al  
Haseltine Lake & Co.  
Imperial House  
15-19 Kingsway  
London WC2B 6UD (GB)

### (54) Remote phone-based access to a universal multimedia mailbox

(57) A system that provides users with the capability to access messages contained in a remote universal multimedia mailbox interfaces with an underlying universal messaging server which provides a repository for voice, fax, e-mail, etc.... This interface is accomplished through a standard e-mail protocol used to add voice reply messages from a message generator to the universal mailbox through the universal messaging server

as well as through a message management library contained within a mailbox access manager that provides access to message components contained in the universal mailbox. The operation of the present invention is guided by a telephony attendant which interfaces with a telephone. The telephony attendant also controls a media converter which converts media to fax or media to audio and an audio/fax player which interfaces with the telephone or a fax machine.





European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number  
EP 98 30 1825

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	US 4 837 798 A (OSTERWEIL JANIS R ET AL) 6 June 1989 (1989-06-06) * column 2, line 22 - column 3, line 45 *	1-17	H04M3/50 H04M3/533
X	EP 0 615 368 A (AT & T CORP) 14 September 1994 (1994-09-14) * column 2, line 5 - column 3, line 11 *	1-17	
X	US 5 530 740 A (VARGO MICHAEL ET AL) 25 June 1996 (1996-06-25) * column 4, line 16 - column 14, line 30 *	1-17	
X	WO 96 09710 A (OCTEL COMMUNICATIONS CORP) 28 March 1996 (1996-03-28) * page 18, line 3 - page 26, line 15 *	1-17	
X	EP 0 565 850 A (IBM) 20 October 1993 (1993-10-20) * page 3, line 43 - page 4, line 28 *	1-17	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
			H04M
The present search report has been drawn up for all claims			
Place of search <b>THE HAGUE</b>		Date of completion of the search <b>10 January 2003</b>	Examiner <b>Gkeli, M</b>
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons S : member of the same patent family, corresponding document	
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			

EP 0 865 189 A3 (P) (A) (2003)

# ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 98 30 1825

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

10-01-2003

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4837798 A	06-06-1989	CA 1261493 A1	26-09-1989
		CA 1270584 B	19-06-1990
		CN 87103996 A ,B	24-02-1988
		DE 3769766 D1	06-06-1991
		EP 0270604 A1	15-06-1988
		JP 2568602 B2	08-01-1997
		JP 63503502 T	15-12-1988
		KR 9206574 B1	08-08-1992
		WO 8707801 A1	17-12-1987
EP 0615368 A	14-09-1994	US 5479411 A	26-12-1995
		CA 2109899 A1	11-09-1994
		EP 0615368 A2	14-09-1994
		JP 3281713 B2	13-05-2002
		JP 7023057 A	24-01-1995
US 5530740 A	25-06-1996	US 5737395 A	07-04-1998
		US 5349636 A	20-09-1994
WO 9609710 A	28-03-1996	US 5740231 A	14-04-1998
		US 5621727 A	15-04-1997
		AU 3633795 A	09-04-1996
		CA 2199243 A1	28-03-1996
		EP 0781482 A1	02-07-1997
		US 5872779 A	16-02-1999
		US 6411684 B1	25-06-2002
		US 6031895 A	29-02-2000
		US 6064723 A	16-05-2000
		US 5982856 A	09-11-1999
		WO 9609710 A1	28-03-1996
		US 5761201 A	02-06-1998
EP 0565850 A	20-10-1993	US 5333266 A	26-07-1994
		EP 0565850 A1	20-10-1993
		JP 2113103 C	21-11-1996
		JP 6044157 A	18-02-1994
		JP 8027766 B	21-03-1996

EPC FORM P0189

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**THIS PAGE BLANK (USPTO)**

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**